



## Green Pin® Snatch Block

Snatch block type 601T

### Highlights

- ✓ Smooth, uninterrupted pull due to conical roller bearings
- ✓ Coating assures long-term durability
- ✓ Lightweight
- ✓ Superior stock availability of 99%
- ✓ Reliable Green Pin® quality and support

### Description

The Green Pin® Snatch Block is a light-weight snatch block type 601T. The snatch block has a smooth, uninterrupted pull due to its conical roller bearings. The coating of the Green Pin® Snatch Block ensures long-term durability, even under harsh conditions. The product is available in a range with a working load limit from 4 up to 8 ton.

### Product details

<b>Productcode</b>	P-6953
<b>Material</b>	carbon steel, fitted with conical roller bearings
<b>Safety factor</b>	MBL equals 4 x WLL
<b>Finish</b>	painted
<b>Certification</b>	<b>2.1</b> <b>2.2</b> <b>MTCb</b> <b>CE</b>
<b>Note</b>	Working Load Limit is on the headfitting



## Green Pin® Snatch Block

### Technical specifications in millimeters

Article code	working load limit	diameter wire rope	A diameter outside sheave	B length	C thickness	D width outside	Net weight (kg)
BKOFFST0404	4	10 - 12	115	213	83	120	4
BKOFFST0608	8	20 - 22	152	305	108	160	9
<b>BKOFFST0808</b>	<b>8</b>	<b>20 - 22</b>	<b>203</b>	<b>357</b>	<b>108</b>	<b>210</b>	<b>12</b>
BKOFFST1008	8	20 - 22	254	406	108	260	18

[www.greenpin.com](http://www.greenpin.com)



## Green Pin® Snatch Block

### Technical specifications in inches


Article code	Working load limit	diameter wire rope (inch)	A diameter outside sheave (inch)	B length (inch)	C thickness (inch)	D width outside (inch)	Net weight (LBS)
BKOFFST0404	4	3/8 - 1/2	4 1/2	8 3/8	3 9/32	4 23/32	8.82
BKOFFST0608	8	3/4 - 7/8	6	12	4 1/4	6 5/16	19.9
<b>BKOFFST0808</b>	<b>8</b>	<b>3/4 - 7/8</b>	<b>8</b>	<b>14 1/16</b>	<b>4 1/4</b>	<b>8 9/32</b>	<b>26.5</b>
BKOFFST1008	8	3/4 - 7/8	10	15 31/32	4 1/4	10 1/4	39.7

[www.greenpin.com](http://www.greenpin.com)



## Green Pin® Snatch Block

Technical drawing



[www.greenpin.com](http://www.greenpin.com)