





BERM - 36

Decontamination Station

These "Decontamination Cleaning Stations" are used for wash down and decontamination of equipment and personnel. In addition to functioning as decontamination cleaning stations, these berms are also used as secondary fluid containment. This product is often used in conjunction with the Canflex Pillow Tank, as well as other Canflex products.

Petroleum products, industrial chemicals, waste water, liquid food products, and a wide variety of other liquids can be safely and efficiently washed down in the Canflex "Decontamination Cleaning Stations." The unit includes the floor and the air inflatable sides with a high volume hand pump for inflation.





TOP FEATURES

- Air filled chambers making up the side walls are available in 12" thru 36" in diameter.
- Each chamber has two Munson valves for inflation and deflation.
- Each air chamber is equipped with a 1 PSI automatic relief valve to prevent over inflation.
- Corner drain available in sizes 2" thru 6".
- Durable fabrics allow vehicles and machinery to be driven in and out of containment berm repeatedly.
- Replaceable liners for easy maintenance and longevity (optional).

- Handles located around perimeter for easy setup and packing.
- Tie Downs with welded PVC grommets situated around the berm perimeter (optional).
- Easily placed under valves and fittings, vehicles or machinery.
- Totally reusable and compact.
- Can be easily cleaned, folded and stored for reuse.













BERM - 36

Model	INSIDE DIMENSIONS			OUTSIDE DIMENSIONS				DRY
	Length	Width	Height	Length	Width	Height	CAPACITY	WEIGHT
	ft	ft	in	ft	ft	in	USG	lbs
	m	m	cm	m	m	cm	m³	kg
SCB-10x10x3	10	10	36	13	13	36	2,245	120
	3.04	3.04	91.5	4	4	91.5	8.5	55
SCB-10x15x3	15	10	36	18	13	36	3,367	155
	4.57	3.04	91.5	5.5	4	91.5	12.8	71
SCB-10x20x3	20	10	36	23	13	36	4,490	185
	6.09	3.04	91.5	7	4	91.5	17	84
SCB-20x20x3	20	20	36	23	23	36	8,979	280
	6.09	6.09	91.5	7	7	61	35	127
SCB-20x30x3	30	20	36	33	23	36	13,468	370
	9.14	6.09	91.5	10.1	7	91.5	51	168
SCB-20x40x3	40	20	36	43	23	36	17,957	460
	12.19	6.09	91.5	13.1	7	91.5	68	209
SCB-20x50x3	50	20	36	53	23	36	22,446	550
	15.24	6.09	91.5	16.2	7	91.5	85	250
SCB-20x60x3	60	20	36	63	23	36	26,936	640
	18.28	6.09	91.5	19.2	7	91.5	102	291
SCB-30x40x3	40	30	36	43	33	36	26,936	640
	12.19	9.14	91.5	13.1	10.1	91.5	102	291
SCB-30x50x3	50	30	36	53	33	36	33,669	720
	15.24	9.14	91.5	16.2	10.1	91.5	127.5	327
SCB-30x60x3	60	30	36	63	33	36	40,403	830
	18.28	9.14	91.5	19.2	10.1	91.5	153	377.3
SCB-40x50x3	50	40	36	53	43	36	44,892	870
	15.24	12.19	91.5	16.2	13.1	91.5	170	396
SCB-40x60x3	60	40	36	63	43	36	53,871	1005
	18.28	12.19	91.5	19.2	13.1	91.5	204	457
SCB-50x50x3	50	50	36	53	53	36	56,115	1040
	15.24	15.24	91.5	16.2	16.2	91.5	212.5	473
SCB-50x60x3	60	50	36	63	53	36	67,338	1210
	18.28	15.24	91.5	19.2	16.2	91.5	255	550
SCB-60x60x3	60	60	36	63	63	36	80,806	1380
	18.28	18.28	91.5	19.2	19.2	91.5	305.9	627